

ملخص الأدوية

dr. omar ali elakrami

Antinal Diaz	Nifuraxazide	GIT antiseptic for diarrhea	$<2m = 220mg$ 2.5ml $2m-1y = 220mg$ 5ml $1y-6y = 220mg$ 5ml $6-12y = 220mg$ 10ml $>12y =$ Tab 200 mg	1 1 1 1
(Kapect, Repect)	19.30 Kaolin, Pectin (Antidiarrheal)	Diarrhea	$<2m =$ Syr 2.5ml $2m-1y =$ Syr 5ml $1y-6y =$ Syr 7.5ml $6-12y =$ Syr 10ml	1 1 1 1
Repect - Kapect compound	Kaolin, Pectin + Sulfamethazole trimethoprim	Travelers diarrhea, pneumocystic carinii, pneumonia	$2m-1y =$ Syr 2.5ml $1y-6y =$ Syr 5ml $6-12y =$ Syr 10ml	1 1 1
Fluconazole	Fluconazole	Fungal infection	150 mg as a single dose then repeated after week	
Albenda- Zentel	Albendazole	Tab 200 mg \ Syr 20mg/ml: <ul style="list-style-type: none"> Enterobius, Ascaris, Trichuris, Hookworm & mixed: adult & child over 2 years: 400mg as a single dose then repeated after 2 to 4 weeks. Child 1-2 y: 200mg as a single dose then repeated after 2 to 4 weeks. Taenia: adult > 60 Kg = 400mg twice daily for 28 days followed by 14 albenda-free days up to 3 cycles. Adult < 15mg/Kg/day twice a day for same period above 		
Vermox	Mebendazole	Tab 100 mg \ Syr 20mg/ml: <ul style="list-style-type: none"> Enterobius: adult & child 1 tab or 5 ml as a single dose then repeated after 2,4 weeks Ascaris, Trichuris, Hookworm & mixed: adult & child 1 tab or 5 ml twice daily for 3 consecutive days Taenia: adult = 2 tab or 10 ml twice daily for 3 consecutive days \ child = 1 tab or 5 ml twice daily for 3 consecutive days Tab 500 mg: <ul style="list-style-type: none"> For all worms type single dose & repeated after 2,4 weeks 		
Tinidol Plus	Tinidazole 600 Norfloxacin 400	UTI duo to susceptible pathogens	600/400 mg Tab 1*2*5-10	

Avalox	Monifloxacin = quinolones class	(Used when usual antibiotic cannot used or have not worked) Lower RTI (pneumonia) Upper PLD (ET infection)	400 mg Tab	(1*1*5-10)
Bactrim Cotrim Septim Deprim	Sulfamethazole + trimethoprim = sulfonamide class	Travelers diarrhea, pneumocystic carinii, pneumonia	2m-1y = 240mg 2.5ml 1y-6y = 240mg 2.5ml 6-12y = 240mg 5ml >12y = Tab (240 mg) Single strength 2*2*7 double strength 1*2*7	1* 1* 1*
Vibramycin Vibro Remycin	Tetracycline class	TB pneumonia, Rickettsia, yersinia, neisseria	100mg, 200mg = 2*1*1, then 1*1*6	
Apocyclin	Tetracycline = Tetracycline class	// // // // //	250-500 mg	1*2-4
Rimactane	Ramipril = Ramipril class	// // // // //		1*2-3
Novarin	Nitrofurantoin 25	UTI	50-100 mg	1*2-3
Monuril	Postomylin fometamol	UTI, prophylactic surgical procedure	3 g used as a single dose	
Fucidine	Fusidate	Bacterial skin infection	200-500 mg	1*1-2*5-7
Flagyl	Metronidazole	Amebiasis, diarrhea	2m-2y = 125mg 2.5ml 2-6y = 125mg 5ml 6-12y = 125mg 7.5ml >12y = Tab 250-500mg	1* 1* 1* 1*
Biogyl	Metronidazole 250 Spiramycin 1.5	Oral infections (dental abscess, phlegmon)	250\1.5 = 1*2-3*5-7	

1. Rofa
2. Myo

Avalox	Moxifloxacin = Quinolones class	(Used when usual antibiotic cannot be used or have not worked) Lower RTI (pneumonia) Upper PLD (FT infection)	400 mg Tab (1*1*5-7)
Bactrim Cotrim Septin Deprin	Sulfamethoxazole + trimethoprim = 2:1 sulfonamide class	Travelers diarrhea, pneumocystis carinii, pneumonia	2m-1y = 240mg 2.5ml 1* 1y-6y = 240mg 2.5ml 1* 6-12y = 240mg 5ml 1* >12y = Tab 240 mg Single strength 2*2*7 double strength 1*2*7
Vibramycin Vibro Rimycin	Tetracycline class	TB pneumonia, Rickettsia, yersinia, neisseria	100mg, 200mg = 2*1*1, then 1*1*6
Apocyclin	Tetracycline = 4:1 Tetracycline class	// // // // //	250-500 mg 1*2-4
Rimactane	Clarithromycin	// // // // //	1*2-3
Ivanin	Nitrofurantoin	UTI	50-100 mg 1*2-3
Monuril	Fosfomycin trometamol	UTI, prophylactic surgical procedure	3 g used as a single dose
Fucidine	Fusidate	Bacterial skin infections	250-500 mg 1*1-2*5-7
Flagyl	Metronidazole	Amebiasis, diarrhea	2m-2y = 125mg 2.5ml 1* 2-6y = 125mg 5ml 1* 6-12y = 125mg 7.5ml 1* >12y = Tab 250-500mg 1*
Biogyl	Metronidazole 250 Spiramycin 1.5	Oral infections (dental) abscess, phlegmon	250/1.5 = 1*2-3*5-7

Fasigyne

Tinidazole

Tab 500 mg :

- **Trichomonase** : adult = 4 tab as a single dose
- **Gardiasis** : adult = 4 tab as a single dose
Child = 60mg/Kg as a single dose
- **Amibiasis** : adult 3 tab as a single dose for 3 consecutive days

Sporanox

Itraconazole

Cap 100 mg

Blastomycosis : 200 mg PO q8hr for 3 days, then 200 mg PO q12hr for 6-12 months

Aspergillosis : 200-400 mg/day

Onychomycosis : Fingernails 200 mg q12hr for 1 week
Toenails, 200 mg/day PO for 12 weeks

Histoplasmosis : 200 mg/day P

Candidiasis : 100 mg PO q12hr for 2-4 weeks

Griseovin

Griseofulvin = antifungal

Tinea infection

Adult

Tinea pedis :

oral 500mg 1*2*7

Tinea capitis , corporis , cruris

Oral 250mg 1*2*7 or 500mg 1*1

Pediatric

2m-2y = 125mg 1.25ml 1*2*7

2-6y = 125mg 2.5ml 1*2*7

6-12y = 125mg 5ml 1*2*7

Zovirax

Acyclovir

HSV , HZV

• **Child**:

HSV = Syr 200mg/5ml

DS Syr 400mg/5ml

• **Adult**:

HSV = Tab 200mg 1*5*7-10 d

HSV = Tab 400mg 1*3*7-10 d

HZV = Tab 800 mg 1*5*7-10 d

Chloroquine

Chloroquine =

Antimalaria

250 mg

Adult :

Prophylactic : 300 mg/week for 1-2 wk before visit infectious area & continues medication until leave the area by 4-6 wk

Therapeutic : 600mg then 300 mg after 4 hrs at the 1st then 300mg at the 2nd & 3rd days

Cough

Trade Name	Generic name	Main use	Dose
Trifed , Sedofan	Tripolidine = antihistamine Pseudoephedrin = decongestant Gualiphenesin = expectorant	Relieve respiratory symptoms (cold , flu , rhinorrhea , rhinitis)	6m-2y=1,25ml 2y-6y = 2,5 ml 6y-12y = 5 ml >12 y = 10 ml
Actifed , Rinofed	Tripolidine = antihistamine Pseudoephedrin = decongestant Gualiphenesin = expectorant	Relieve respiratory symptoms (cold , flu , rhinorrhea , rhinitis)	6y-12y = 5 ml >12 y = 10 ml
Soolan	chlorpheniramine = antihistamine phenylephrine = decongestant Gualiphenesin = expectorant	// // // //	6m-2y = 1,25 ml 2y-6y = 2,5 ml 6y-12y = 5 ml
Polaramine	Dexchlorphenramine=antihistamin Pseudoephedrin = decongestant Gualiphenesin = expectorant	// // // //	6y-12y = 5 ml >12 y = 10 ml
Amydramine	Diphenhydramine = antihistamine Menthol = nasal decongestion Ammonium chloride= expectorant Sodium citrate= expectorant	// // // //	6y-12y = 5 ml >12 y = 10 ml
Amydramine -pediatric	Diphenhydramine = antihistamine Menthol = nasal decongestion Ammonium chloride= expectorant Sodium citrate= expectorant	// // // //	6m-2y=1,25ml 2y-6y = 2,5 ml 6y-12y = 5 ml >12 y = 10 ml
Menthodex	Menthol = nasal decongestion Ammonium chloride= expectorant Sodium citrate = expectorant	// // // //	6y-12y = 5 ml >12 y = 10 ml
Neocodin Calmatux Tusscopine Bromocodeine Pecto	Codeine (Opioid-R agonist) = CNSAntitussive& weak analgesic	// // // //	2y-6y = 2,5 ml 6y-12y = 5 ml >12 y = 10 ml
Tussskan , Bronchophane	Diphenhydramine=antihistamine Ephedrine = decongestant Gualiphenesin = expectorant	// // // //	6y-12y = 5 ml >12 y = 10 ml

Tussidane	Dextromethorphan = antihistamine	// // // //	2y - 6y = 2.5 ml 6y-12y = 5 ml >12 y = 10 ml
Flusidal	promethasine = antihistamine	// // // //	2y - 6y = 2.5 ml 6y-12y = 5 ml >12 y = 10 ml
Terpone	Terpin = expectorant Siberian oil + eucalyptus oil + niaouli oil = decongestant	// // // //	6y-12y = 5 ml >12 y = 10 ml
Bisolvon Mucolyte	Bromhexine (mucolytic) Relieve cough & make expectorant easier	Bronchopulmonary disease association with impaired transport of mucus <ul style="list-style-type: none">Therapeutic asthma attackBronchitisBronchiectasisCOPDPneumoconiosisMale infertility	Syr 8mg/5ml 2y-6y = 2.5 ml 6y-12y = 5 ml >12 y = 10 ml Tab 8mg/5ml 6-14 y = 1*3 >14 y = 1-2*3 Drop 4mg/2ml Newborn = 2 drop 2m-2y = 5 drop 2-5 y = 10 drop 5-10y = 1ml (25 drop)
Mucosolvan	Ambroxol = Bromhexine analog	// // // //	
Resyl	Gualiphenesin = Expectorant	// // // //	
Drill	Carbocisteine (mucolytic)	Bronchopulmonary dis ass with impaired transport of mucus	6y >20kg = 5ml >12 y = 10 ml 20kg = 5ml 30kg = 7.5ml 40kg = 10ml 3-6y = 5ml x 3// 6-12y = 10ml x 3 12y = 15ml x 3 16 = 15ml x 3-4
Dextromethorphan sugar free	Butamirate citrate (central cough suppressant)	// // // //	6m-2y = 1.25 ml 2y-6y = 2.5 ml 6y-12y = 5 ml >12 y = 10 ml
Sinecod	Natural food supplement	// // // //	1-6y = 5ml 6-12 = 10 ml
Balsam, Guava	Pure honey	// // // //	
Hedral, Soothex			
Propolsaft			
Helix = Ivytus = Liblab			
Baby cough			

Sinecod drop	Butamirate citrate (central cough suppressant)	// // // //	2m-1y=10 drops 1-3y = 15 drops 3-6y = 25 drops
Bisolvon drop	Bromhexine (mucolytic) Relieve cough & make expectorant easier	Bronchopulmonary dis ass within impaired transport of mucus	<2 y = 12 drops 2-6y = 25 drops 6-12y = 5 ml
Bronex drop	Pseudoephedrine = decongestant Guaiphenesin = expectorant	Relieve respiratory symptoms (cold, flu, rhinorrhea, Cough, rhinitis)	<6 y = not used >6 y = 1 ml
Pilka drop	Drosera Thyme	Antitussive, expectorant, GIT antiseptic, carminative	2m-1y=10 drops 1-3y = 15 drops 3-6y = 25 drops
Thym drop Althym drop	Honey, Thyme vulgaris leaves, Royal jelly, Vit C	Relieve respiratory symptoms (cold, flu, Cough)	3-7 y = 15-20 drops >7 y = 60 drops

... All cough syrup & drops given 3 times daily for 5 to 7 days...
 .. Antihistamine used in cough syr as central cough suppressant

Coquelusedal	Grindelia, Gelsemium Melaleuca = plants	Cough	Suppository 1 * 1-2 * 3
Coquclusedal -Paracetamol	Grindelia, Gelsemium, Melaleuca, Paracetamol	Cough & Flu	Nourrisson = infant under 30 months Enfant = child from 30 months to 15 years
PECTO 6 For infants	sodium benzoate 1.5g/g sodium bromure 0.757g	Cough السعال	1m-1y = 2.5ml x 4 1y-3y = 5ml x 3-6

NSAID

All NSAID are Anti-inflammatory , antipyretic , analgesic & anti-rheumatic

Trade name	Generic name	Main use	Dose
Aspirin Aspedic	Aspirin ASA	>150mg=analgesic, antipyretic <150 mg= antiplatelet	> 150 mg = 1*3 < 150 mg = 1*1
Panadol Doliprane Perfalgan	Paracetamol	Headache, migraine, pain, flu, rheumatic	Tab 500-1000mg 2*3 Syr 120-250mg 1*3 Supp 80,125,150,250,300,600 mg
Profen	Ibuprofen	Dysmenorrhea , // // //	Tab 400,600mg 1*3 Syr 100mg 1*2-3
Neurophen	Ibuprofen Paracetamol	headache , // // //	Syr, Tab 200\135mg 1*
Ketofan BiProfenid	Ketoprofen	Dental pain // // // //	Tab 25,50,100,150,200mg 1*
Voltaire, Emifenac Olfen, Diclofenac Diclomax, Votrex Diclofen extra	Diclofenac sodium	General pain , // // //	Tab 25,50,75,100,150mg 1*
	Diclofenac paracetamol	// // // // // //	Tab 50\500 mg 1
Aulin	Nimesulide	// // // // // //	Tab, Sachets 100mg 1
Rapidos Cataflam Catafast	Diclofenac potassium	// // // // // //	Tab 25,50,75,100mg 1
Indocid	Indomethacin	// // // // // //	Tab 25,50,100mg 1*3
Nopain	Naproxen	// // // // // //	Tab 250-500mg 1
Mobic , Moven	Meloxicam	// // // // // <i>11mg 1x1</i>	Tab 7.5 , 15mg 1x1
Antiflog , Felden Cycladal, Cyclodex	Piroxicam	// // // // // //	Tab 20mg 1x1
Felden , Alfoxan ndol	Mefenamic acid	// // // // // //	Tab 500mg 1x1
Xefo	Larnoxicam	// // // // // //	Tab 8mg 1x2

GIT

Trade name	Generic name	Main use	Dose
Omeprazole	Omeprazole	GERD, Dyspepsia, Peptic ulcer, NSAID induced ulcer, Zollinger Ellison syn	20-40mg 1*1-2*2-8wk Before eat (BE)
Pantoprazole	Pantoprazole	// // // //	20-40mg 1*1-2*2-8wk (BE)
Lansoprazole	Lansoprazole	// // // //	15-30mg 1*1-2*2-8wk (BE)
Nexium	Esomeprazole	// // // //	20-40mg 1*1-2*2-8wk (BE)
Ipssium	Ranitidine	// // // //	Tab 150mg 1*1-2*7 (BE) or (AE) Sachets 1*1-2*7 (BE) or (AE)
Zantac	Ranitidine	// // // //	200-400-800 mg with meals
Rani-stacer	Cimetidine	// // // //	Spoon after eat & before sleep
Cimetidine	Na, Ca carbonate	// // // //	// // // //
Gaviscon	AL, Mg hydroxide	// // // //	// // // //
Maalox	// // // + Simethicon	// // // //	// // // //
Maalox Plus	Ca, Mg carbonate	// // // //	16 حبة يومياً

Trio-clar	Omeprazole 20mg	To eradication of H. pylori in peptic ulcer	1*2*2wks within meals
Heli-cure	Tinidazole 500mg	Bacteria	
	Clarithromycin 500mg		

Salinal	Simethicon	Flatulent	1*3 (AE)
Disflatyl	Simethicon 40mg Silicon dioxide 2mg	Flatulent	1*3 (AE)
Eucarbene	Charcol	Flatulent	1*3 (AE)
Emeral	Chlorphenoxamine	Nausea & Vomiting	1*3-4 (BE)
Stemetil	Prochlorperazine	Nausea & Vomiting	Tab 5mg 1*3-4 (BE)
Navoproxin	Meclizine 25mg	Nausea & Vomiting	Tab 1*3-4 (BE)
Navidoxine	Pyridoxine 50mg		Supp 1*3-4 (BE)
Vominore			

Medium	tab - syr - supp Domperidone من الحرقه العلوي للده والكبد والكلى	Nausea & Vomiting قيء Always taken (BE) by 0.25 to 0.5 hs (BE)	2m-1y = 1mg/ml 2.5ml 1*3 1-3y = 1mg/ml 5ml 1*3 3-6y = 1mg/ml 7.5ml 1*3 6-12y = 1mg/ml 10ml 1*3 >12y = Tab 10mg 1*3
Plasil Primperan Premosan Elitan	Metoclopramid من الحرقه العلوي للده والكبد والكلى	Nausea & Vomiting Always taken (BE) by 0.25 to 0.5 hs	1-3y = Syr 1mg/ml 1.25ml 1* 3-6y = Syr 1mg/ml 2.5ml 1* Supp 5mg 1* 6-12y = Syr 1mg/ml 5ml 1* Supp 5mg 1*1- >12y = Tab 10mg 1* Syr 1mg/ml 10mg 1* Supp 10mg 1*1
		<u>Domperanin</u>	

Medium	Loperamide من الحرقه العلوي للده والكبد والكلى	Diarrhea إسهال	10mg , 2 tablets together , th 1 tab after each diarrhea th
Lacteol fort	Lactobacillus (lactic acid) = Simulate N.F growth Bacteriostatic action Increase IGA synthesis	Diarrhea	Sachets 1*1-3
Lactibiane Reference	4 microbiota strains with a concentration of 10 billion per 2.5 g per sachet or per capsule + Bulking agent	Diarrhea	Bulking agent : potato starch , dextrose , chi- fructooligosaccharides , lacti- ferments , maltodextrin , carri- cellulose.
Lactibiane Tolérance	5 microbiota strains with a concentration of 10 billion per 2.5 g per sachet or per capsule + Bulking agent	Diarrhea	Sachet & Capsule • GIT disorder (constipation Colic) : 1 capsule or sachets a day swallowed with a large glass water. Take before meals. 10-day course of supplement can be repeated for 1 month
Lactibiane Defence	3 microbiota strains, andrographis (plant originating from Asia), zinc & Vitamin C	Diarrhea	• Gastroenteritis (bacterial or viral) :
Lactibiane Children	5 specific strains dosed at 4 billion per sachet also contains Vitamin D	Supports the normal growth and development of bones	First Day 1*3 Second Day 1*3 Third Day 1*2 Forth Day 1*2

Antihistamine & Cortisone

Trade name	Generic name	Main use	Dose
Restaminet	Loratadine	2 nd generation	Tab 10mg
Clarinase	Loratadine	2 nd generation	Tab 5 \ 20mg
Zyrtec	Cetirizine	2 nd generation	Tab 10 mg
	Ketotifen	2 nd generation	Syr 1mg \ 5ml
Aerius	Desloratadine	3 rd generation	Tab 5mg
Telfast	Fexofenadine	3 rd generation	Syr 0.5 \ ml
Histaloc	Promethazine	1 st generation	Tab 10-25 mg
Phenergan	Cinnarizine	1 st generation	Syr 25mg \ 5ml
Stugeron	Betahistin	1 st generation	Tab 10mg
Betaserc	Dimenhydramine	1 st generation	8tab - 16-24 mg
Diziniil	Hydroxyzine	1 st generation	Tab 50 mg
Fenistil	Dimethindene	1 st generation	Tab 10-25mg
Chlorhistol	Chlorpheniradramine	1 st generation	Gel 1mg \ Drop 1mg \ Tab 1m
	Diphenhydramine	1 st generation	Tab 4mg _ Syr 2m \ 5ml
Pernabol	Cyprohepatadine	1 st generation	Tab 4mg Syr 2mg \ 5ml

- 1st generations antihistamine can cross BBB so using centrally and peripherally
- 2nd generations antihistamine less cross BBB so using peripherally only
- 3rd generations antihistamine derived from 2nd generation have high efficacy & less side effect

Central using : vertigo , dizziness , tinnitus , nausea & vomiting ; motion sickness , insomnia , increase appetite

Peripheral using : seasonal allergy (hay fever , rhinitis) , rhinorrhea & sneezing , itching , urticarial

Dermal

Trade name	Generic name	Main use	Dose
Baneocin	Bacitracin = Gr- Antibiotic Neomycin = Gr+ Antibiotic	Bacterial skin infection	Powder = 2-4*5-7 Ointment = 2-3*5-7
Bactroban	Mupirocin = Antibiotic	Impetigo, folliculitis, furunculosis	2-3*5-7
Fucidin	Fusidic acid = Gr+Antibiotic	Bacterial skin infection	2-3*5-7
Fucicort	Fusidic acid = Gr+Antibiotic Betamethasone = cortisol	Inflamed bacterial skin infection	2-3*5-7
Fucidin H	Fusidic acid = Gr+Antibiotic Hydrocortisone = cortisol	Inflamed bacterial skin infection	2-3*5-7
Ichthyol	Bitumnosulphonate = bacteriostatic Wool fat = softening	Skin infection Psoriasis Eczema	2-3*5-7
Nystatin	Nystatin = antifungal	Oral, Vaginal & Anal Candidiasis Moniliasis Napkin infection	Oint = 100,000 2-3*5- Susp = 100,000 1-2ml*4* Keep in mouth as much as pos Tab = 500,00 1-2*3-4* Vaginal Tab = 1*1*1! Vaginal cream = 1-2*1!
Daktarin Mycoheal Miconaz	Miconazole = Antifungal	Fungal infection	Cream solution spray 2-3*2-4w
Daktacort	Miconazole = Antifungal Hydrocortisone = cortisol	Fungal infection when inflammatory symptoms are prominent	Cream: 2-3*2-4w
Daktarin oral gel	Miconazol = Antifungal	ORAL & GIT Fungal (candida) infection	Keep in mouth as much as possible 1*4*2-4w
Nizoral	Ketokonazol = Antifungal	Fungal infection, seborrhoeic dermatitis, pityriasis capitis (dandruff)	Cream: 2-3*2-4 Shampoo: 1*1*2-4
Canestin Dermatin Closol	Clotrimazole	Fungal infection	Cream solution, powder spray, shampoo 2-3*2-4w
Lotriderm	Clotrimazole = Antifungal Betamethasone = cortisol	Fungal infection	2-3*2-4w

Triderm	Clotrimazole = Antifungal Gentamicine = Gr- Antibiotic Betamethasone = cortisol	Skin infection	2-3*2-4w
Quadriderm Mixderm	Gentamicine = Gr- Antibiotic Tolnaftate = Antifungal Clioquinol = antifungal & antibacterial Betamethasone = cortisol	Skin infection	2-3*2-4w
Pevaryl	Econazole = Antifungal	Fungal infection	Cream sol 2-3*2-4w
Lamisil	Terbinafine = Antifungal	Fungal infection	Cream solution spray gel 1-2*1-2w
Terbonile		Fungal infection	Cream 1-2*1-2w
Mycoster	Ciclopiroxolamine		Cream solution 2.5g_5 Applying all body excep face & scalp once daily for two consecutive day
Permethrin	Permethrin	Itching resulting from parasite infection	Lotion 25 % 1*1*5-7
Benzyl benyoate	Benzyl benyoate	lice and scabies	
Betadine	Povidone iodine = disinfectant and antiseptic	Contaminated wound and pre-operative preparation	10 % gel 2-3 Times daily
Kenamomb Panderm	Nystatin = antifungal Neomycin = Gr- Antibiotic Gramicidin = Gr+ Antibiotic	Candida , Eczema Psoriasis , Napkin infection	2-3*5-7
Nice baby	Nystatin = antifungal Zinc oxide = Antiseptic	Candida , Eczema Psoriasis , Napkin infection	2-3*5-7
Zinc Oxide	Zinc oxide = Antiseptic & smoothing agent	Eczema Psoriasis Napkin infection	10%-15% 2-3*5-7
Urea	Urea = smoothing agent	Eczema , Psoriasis Napkin infection , Hyperkeratotic skin	10% 2-3*5-7

Napycal	Calndula flower = antiseptic Zinc oxide = Antiseptic & Smoothing Vit E = anti inflammatory	Eczema Psoriasis Napkin infection	2-3*5-7
Calmiderm	Natural herbal = smoothing	<ul style="list-style-type: none"> Irritation Scratch Redness Dry Chapped cracked skin Xeroderma Eczema 	Cream 2-3*7
Centelys	Natural (panthenol, glycerin, olive oil, beeswax, avocado & maridold oils)		Créam 2-3*7
RootCare	Natural = Emu oil + zinc oxide chamomile, Aloe oils, Primrose oil		Cream 2-3*7
EmuHeal	Natural (Emu oil) + (Tea tree leafoil vit E Beeswax Glycrin)		Cream 2-3*7
Nipcare	Natural (panthenol, Sunflower oil, olive oil, shea butter, glycrin, avocado oils)		Oint Cream Lotion 2-3*7
Bepanthene Pantenol	Dexpantenol = smoothing & regenerating agent		Cream 2-3*7
Carbamide	Urea = smoothing agent	<p>2-6% = hyperkeratotic and scaled skin (dandruff & dermatitis) mainly mixed with coal or sulphur</p> <p>10% = treatment of fungal skin infection</p> <p>30-60% = Remove warts & corns</p>	
Salicylic Acid	Salicylic Acid		

Retin A Acretin Acne free	Tretinoin = Vit A derivative Stimulate the epithelium to produce a less cohesive horny layer which more easily to peeled off preventing the formation of new ones	Acne vaigaris	Gel soup 1*1*4-6
Isotrix	Tretinoin = Vit A derivative	Acne valgaris	Gel 1*1*4
Benzac AC	Hydroquinon = depigmentation	Acne valgaris	Gel 2.5-5-10% 1-2*
Duac	Benzoyl peroxide = keratolytic & Antimicrobial	Acne valgaris	Gel 1*1 at even
Derma T	Clindamycin = Gr+Antibiotic	Acne valgaris	Lotion 1*2*
Curacne Decufan	Isotretinoine = Vit A derivative	Acne valgaris	Tab 1* 1-2 *16

Aknemycin, Acnecare
Eryfluid lotion
Zinyrt lotion

Erythromycin = Antibiotic

Acne vulgaris
Bacterial skin infection

Cream, lotion
2-3*7-10

Diprosalic		Salicylic acid = keratolytic Fungicidal, Bacteriostatic Betamethasone = cortisol	<p>لقد ذكرنا في فريد من أدوية</p> <ul style="list-style-type: none"> • Eczema • Psoriasis • Dermatitis • Lichen plans • Discoid lupus erythematosus 	Ointment Solution 2-3*7-10
Dermosone		Neomycin = Gr- Antibiotic		Ointment, Solution 2-3*7-10
Dermosalic		Betamethasone = cortisol		Ointment 2-3*7-10
Daivonex		Calcipotriol = Vit D derivative		Ointment 2-3*7-10
Daivobet		Calcipotriol = Vit D derivative Betamethasone = cortisol		Oint, Cream 2-3*7-10
Betaderm		Betamethasone = cortisol		Oint, Cream 2-3*7-10
Betnovate		Betamethasone = cortisol		Ointment 2-3*7-10
Betnovate _N		Neomycin = Gr- Antibiotic Betamethasone = cortisol		Ointment 2-3*7-10
Betnovate -C		Clioquinol = antibacterial & antifungal Betamethasone = cortisol		Ointment 2-3*7-10
Doprolene		Betamethasone = cortisol		Ointment 2-3*7-10
Dermovate		Clobetasol = cortisol	<ul style="list-style-type: none"> • Eczema • Psoriasis • Dermatitis • Lichen plans • Discoid lupus erythematosus 	Oint, Cream 2-3*7-10
Gamavate		Clobetasol = cortisol		Oint, Cream 2-3*7-10
Decloban		Clobetasol = cortisol		Cream 2-3*7-10
Clobetaderm		Clobetasol = cortisol		Cream 2-3*7-10
Neoclobetaderm		Neomycin = Gr- Antibiotic Clobetasol = cortisol		Cream Lotion 2-3*7-10
Elocom		Mometasol (cortisol)		Cream 2-3*7-10
Eurax HC		Hydrocortisone = cortisol		Cream (no vaselin) 2-3*7-10
Licoid		Hydrocortisone = cortisol		Lipocream (Vaseline) 2-3*7-10
Alfacort		Hydrocortisone = cortisol		Scalp lotion 2-3*7-10
Fenistil		Dimethindene = Antihistamine		Oint, Cream 2-3*7-10
				Gel Drop 2-3*7-10

Eurax₁	Crotamiton = antiparasitic & bacteriostatic	Scabies & associating symptoms (pruritus . itching)	Cream Lotion	2-3*7-
Crotaphil H	Hydrocortisone = cortisol Crotamiton = antiparasitic & bacteriostatic		Cream	2-3*7-
Calamyl	Calamine = astringent (VC) Zinc Oxide = soothing	Relief irritation ass with Urticaria , Herpes zoster , Insect bites	Lotion	2-3*7-
Calamyl D	Calamine = astringent (VC) Zinc Oxide = soothing Diphenhydramin=antihistamine			
Protopic	Tacrolimus (macrolide) (immunosuppressant)=decreas e immune system activity	Eczema Atopic dermatitis	0.03% - 0.1% ointment 1 * 2 * 7-	
SBR	Skin Barrier Repair = mixed oils , glycerol , petroleum ,ect	Dry skin can be used with locoid lipocream	Once daily at evening	
Heel forte	Urea = smoothing agent Salicylic acid = keraolytic	Corns , Callus	put the warts in hot water for 5 min , dry i then apply 1-2 TD , fo 2-8 weeks	
Collomak solu Doulfilm solu Cornex gel	Salicylic acid = keraolytic Lactic acid =	Corns		
Quinon	Hydroquinone = inhibit melanocyte(bleaching)	Hyperpigmentation skin (chlosma , melasma freckles)	2%-4% Two times d daily for 1-3 mon	
Tritospot	Hydroquinone = inhibit melanocyte (bleaching) Tretinoin = Vit A derivative Hydrocortisone = cortisol Eusolex = sunscreen		Apply twice daily , th washing after 30 mir 6 h	
Lucocid - R 3%	Hydroquinone = inhibit melanocyte(bleaching) Tretinoin = Vit A derivative		Oint 3% Two times daily	

Hemoclar	Pentosan sulphuric = heparinoid with anticoagulant & fibrinolytic properties	Superficial trauma Contusion, Hematoma Ecchymosis	Apply 2 to 4 times daily ^ rub lightly to skin to improve penetration
Contractubex Lotion	Heparin 5000, 1000 IU = softening & smoothing agent	Scar, Amputation Burn, Varicosity	2 to 4 times daily

Dermazin Silver	Silver sulfadiazine 1% = Antibacterial & limits spread of necrosis to deep layer promote healing of superficial layers	1 st 2 nd 3 rd Skin Burn & Infected dermal defect (bed sore, deep neglected wound)	2 to 4 times daily The burns should be covered with sterile gauze
Mebo	Moist Exposed Burn Oint Natural herbal (B-sitosterol) = Antibacterial & limits spread of necrosis to deep layer promote healing of superficial layers		
Mebo scar	sesame oil, beeswax, and cactus extract, which are rich in linoleic acid; phytosterol, vitamin E, and tyramine.		

Dermatix	Silicone Gel = moisture, prevent keloid & hypertrophic of scars	Scar, Burn Wound trauma	2 to 4 times daily
Solcoseryl	Protein free of calves (Bos taurus) = Contain LMW protein which maintain cells & tissue	Injury, Ulcer 1 st & 2 nd Burn	2 to 4 times daily
Xylocaine Emla	Lidocaine = anesthetic	Dental Skin pain Hemorrhoid	Ointment Spray
Dentinox (oral gel)	Lidocaine	Teething pain relieve	At needing time
K Y Jelly	Lubricating jelly	when vaginal lubrication need	At needing time
Venoruton gel	Rutoside = help to restore normal V function	Reduce swelling of Varices, twists & bruise	2 to 4 times daily
Lioton	Heparin	Varicose, edema, subcutaneous hematoma	2 to 4 times daily
Reparil Gel N	Aescinum 1g = Anti edema Salicylic acid = antiinflammatory	Traumatic swellings & Tendosynovitis, varicose veins hemorrhoids, thrombophlebitis inflammatory edema	gel 1*1-2

Hemorrhoids

Trade name	Generic name	Main use	Dose
Anusol	Bismuth (astringent, antiseptic)	<ul style="list-style-type: none"> Internal & External piles (hemorrhoid) Pain Itching Irritation Pruritus Anal fissure 	Ointment & Suppository Twice (at morning evening) It done again after each defecation
Anusol HC	Bismuth (astringent, antiseptic) Hydrocortisone =cortisol		
Anopril	Bismuth (astringent, antiseptic) Zinc oxide= Antiseptic ,smoothing		
Anopril HC	Bismuth (astringent, antiseptic) Zinc oxide= Antiseptic ,smoothing Hydrocortisone=cortisol		
Proctoglyvnol	Lidocaine = anesthesia Tribenoside = anti-inflammatory		
Proctoheal	Lidocaine = anesthesia Fluocinolone =cortisol		
Xylocain Emla Farcocaine G.T,N	Lidocaine = anesthesia Glycerin nitrate		
Antrolin	Nifedipine = Ca.C.B = Smooth m relax reduce tone in anal sphincter Lidocaine = anesthesia		
Neo-Healar	Natural Astringent , Antiseptic Smoothing		
Titanoreine	Carrageenan = Smoothing titanium dioxide = Smoothing zinc oxide =Antiseptic ,smoothing		
Faktu	Policresulen = Antiseptic Cinchocaine = anesthesia		

ASTHMA

Trade name	Generic name	Main use	Dose
Ventolin Butalin	Salbutamol = B2 agonist	<ul style="list-style-type: none"> • Therapeutic attach & Prophylactic • COPD • Preterm labor 	1m-2y= Syr 2mg/ml 2.5 ml 1*2-3 2-6 y= Tab 2mg 0.5-1*3 Syr 2mg/ml 2.5-5ml 1* Inhaler 100Mg/lactus 1* Neb 2.5mg/lamp 2.5mg 1-4\vd 6-12y = Tab 2mg 1* Syr 2mg/ml 5-10ml 1* Inhaler 100Mg/lactus 1-2*3 Neb 2.5mg/lamp 2.5-5mg 1-4\vd >12 y = Tab 2mg 1-2* Inhaler 100Mg/lactus 1-2*3 Neb 2.5mg/lamp 5mg 1-4\vd
Buto-asma	Salbutamol = B2 agonist	<ul style="list-style-type: none"> • Prophylactic & Therapeutic attach • COPD 	Inhaler 100Mg\inhalation 2-6 y= 1*3-4 6-12y = 1-2*3-4 >12 y = 1-2*3-4
Foradil	Formoterol = B2 agonist	<ul style="list-style-type: none"> • Prophylactic • COPD 	Inhaler 12mg Adult & child over 5 y = 1-2*2
Bricanyl Neoterb Talin	Terbutaline = B2 agonist	<ul style="list-style-type: none"> • Prophylactic & Therapeutic attach • COPD • Preterm labor 	Inh 250-500Mg = 1-3*3* Syr 1.5mg\5ml : Adult 10-15ml = 1* Child 0.25\Kg = 1* Tab 2.5-5 mg : 1-2*3-4
Symbicort	Budesonide Formoterol	<ul style="list-style-type: none"> • Prophylactic & Therapeutic attach • COPD 	Inh 160\4.5 Inh 200\6 : 12-17y = 1-2*1-2 >17 = 2-4*2 Inh 320\9 : Inh 400\12 :
Seratide Diskus	Salmeterol 50mg Fluticasone 100,250,500mg	<ul style="list-style-type: none"> • Prophylactic & Therapeutic attach • COPD 	Inh 4-12 y=50\100 1*2 >12y = 50\100,50\250,50\500 1*2
Flixotide	Fluticasone = Cortisol	<ul style="list-style-type: none"> • Prophylactic & Therapeutic attach • COPD 	Inh 50-125Mg 1-2*2-3

Miflonide	Budesonide = Cortisol	<ul style="list-style-type: none"> • Prophylactic & Therapeutic attach • COPD 	Inh 200Mg	1-2*2-3
Glenil Becllo-Asma	Beclomethasone = Cortisol	<ul style="list-style-type: none"> • Prophylactic • COPD 	Inh 250-500 Mg	1-2*2-3

Xilone Gupisone Sulpride	Prednisolone	<ul style="list-style-type: none"> • Prophylactic & Therapeutic asthma • Adrenal hypoplasia • Allergy • Rheumatic inflammation • IBD 	Tab 5-20mg Syr 5mg\5ml Adult : 5-60mg\day Child : 0.5-2mg\kg\day
Orazone Oradexa	Dexamethasone		Tab 0.5mg Syr 0.5mg\5ml Adult : 0.5 -10mg\day Child : 0.01- 0.1mg\kg\day
Cortef	Hydrocortisone		Tab 10 mg
Zylofen	Ketotifen		Syr 1mg\5ml >2 y = 2.5-5 ml 1*2 Adult = 5-10 ml 1*

Bisolvon , Mucolytc	Bromhexine (mucolytic) Relieve cough & make expectorant easier	Bronchopulmonary dis association with impaired transport of mucus <ul style="list-style-type: none"> • Therapeutic asthmatic attach • Bronchitis • Bronchiectasis • COPD • Pneumoconiosis • Male infertility 	Syr 8mg\5ml 2y-6y = 2,5 ml 6y-12y = 5 ml >12 y = 10 ml Tab 8mg\5ml 6-14 y = 1*3 >14 y = 1-2*3 Drop 4mg\2ml Newborn = 2 drops 1*2 2m-2y = 5 drops 1*2 2- 5 y = 10 drops 1*3 5-10y= 1ml(25drops)1*3
Mucosolvan	Ambroxol = Bromhexine analog		// // // //

s *3
*2
s *2

Gynecology

Trade name	Generic name	Main use	Dose
Microgynon , Microcept	Levonorgestrel + Ethinylestradiol	Contraceptive Irregular cycle	If you have not used a CC before , take one tab from the first day of cycle for 25 days at the same time each day , If you have used a CC before take one tab at the 7 th day c cycle for 21 days at the same time each day , then take on tablet for 7 days (gap week) , in gap week the bleeding should begin , which usually begin on the 2 nd or 3 rd day gap week , after the gag week we should start with another course
Yasmin , Cilest	Draspinenone + Ethinylestradiol		
Microlut Microval	Levonorgestrel		
Diane	Cyproterone + Ethinylestradiol	Contraceptive Irregular cycle Acne	
Cycloprogynova Progyluton	Estradiol + Norgestrel	Use for menopause as hormone replacement	
Femoston	Estradiol + dydrogesterone		

Duphaston	Progesterone	Irregular cycle painful menstruation Endometriosis Luteal insufficiency	10 mg 1-2 * 2
Utrogestran			From 16 th to 25 th menstruati
Primolut 5-10mg	Progesterone	Uterine bleeding : 1*3*10 Endometriosis : 1*2*5 from 1 st to 5 th days for 4-6 month 1ry,2ry Amenorrhea : If the pt has decrease in estrogen she take estrogen from 1 st -14 th days then take progesterone , If no take progesterone from 16 th to 25 th 1*2*10	100 - 200 mg 1-2 * 2 From 16 th to 25 th menstruati

Clomid Clomifene	Clomiphene citrate 50mg	Ovulatory failure Amenorrhea Male infertility	If there is no p.v bleeding start by 50 mg at times for 5 days , if the pt have p.v bleeding start by 50mg at the 5 th cycle days , if the course failure start another course 100mg (2 pills) for 5 days , if the course failure sta another course 100mg for 5 days , if it fail too stop & get other medication .
---------------------	----------------------------	---	---

Depo-provera 150mg	Medroxyprogesterone = Progesterone IM injection once every 12week	IM injection <ul style="list-style-type: none"> • Contraceptive • Recurrent miscarriage • 2ndry Amenorrhea • Endometriosis
Proluton 250 , 500 mg	Progesterone IM injection	
Merional	Menotrophin = human menopausal gonadotropins (LH / FSH 75 IU)	
Menogon	Menotrophin = human menopausal gonadotropins (LH / FSH 75 IU)	
IVF-M 75 IU	Menotrophin = human menopausal gonadotropins (LH / FSH 75 IU)	
IVF-M 150 IU	Menotrophin = human menopausal gonadotropins (LH / FSH 150 IU)	INJECTION IM – SC route <ul style="list-style-type: none"> • An ovulatory infertility unresponsive to clomifene • Male infertility due to hypogonadotropic hypogonadism
Fostimon	Urofollitropin = (FSH 75 IU)	
Declair-HP-FSH 75 IU	Urofollitropin = (FSH 75 IU)	
Declair-HP-FSH 150 IU	Urofollitropin = (FSH 150 IU)	
Pregnyl 5,000 IU	HCG (Human chorionic gonadotropin) = Gonad stimulating hormone	
Declair-HP-HCG 1500, 2000, 5000 10,000 IU	HCG (Human chorionic gonadotropin) = Gonad stimulating hormone	
IVF-C 1000, 1500, 5000, 10,000 IU	HCG (Human chorionic gonadotropin) = Gonad stimulating hormone	
Decapeptyl 0.1 , 0.5mg	Triptorelin (Gonadorelin analog) = stimulate pituitary to release LH&FSH	

Fragmin	Dalteparin (LMW Heparin)	<ul style="list-style-type: none"> • Treatment & prophylaxis of DVT • Treatment & prophylaxis pulmonary embolism • prophylaxis of ischemic unstable angina & MI 	SC 200 IU/Kg/Day 2,500 5,000 10,000 12,500 15,000 18,000
Fraxiparin	Nadroparin (LMW Heparin)		SC 171 IU/Kg/Day 1,900 2,850 3,800 5,700
Inohep	Tinzaparin (LMW Heparin)		SC 175 IU/Kg/Day 2,500 3,500 4,500 10,000
Enoxa	Enoxaaparine (LMW Heparin)		SC 150 IU/Kg/Day 2,000 4,000 6,000 8,000
Hibor	Bemiparin		SC 115 IU/Kg/Day 5,000 7,500 10,000

Gynecology vaginal Cream , Tab & pessary

Trade name	Generic name	Main use	Dose
Gyno- -Daktarin Gynozol Mycoheal	Miconazole = Antifungal	Vulvovaginal candida , Fugal & Gr+ bacterial infection	Vaginal Cap 200 = 1*1*7 400 = 1*1*3 1200 = 1*1*1 Cream = 1*1*7 at bedtim
Canestene	Clotrimazole = Antifungal	Vulvovaginal candida Fugal infection	Vaginal Tab 0.1 = 1*1*6 0.5 = 1*1*1 Cream 1% 1*1*7 at bedtin 2% 1*1*7 at bedtin
Nystatin	Nystatin = Antifungal	Vulvovaginal Fugal & Candida infection	Pessaries , Vaginal Tab o cream 100,000 1*1-2*14
Topzol-V	Terconazole = antifungal	Vulvovaginal Fugal & Candida infection	Cream 0.2-0.4 % 1*1*5- Pessaries 80 mg 1*1*
Flagyl Amrizole	Metronidazole =Antifungal	Vulvovaginal Fugal & Bacterial infection	Pessaries 500mg 1*1*10
Amrizole_N	Metronidazole =Antifungal Nystatin = Antifungal	Vulvovaginal Fugal & Bacterial infection	Pessaries 1*1*10
Tergynan	Metronidazole =Antifungal Nystatin = Antifungal Neomycin = Gr- Antibiotic	Vulvovaginal Fugal & Bacterial infection	Pessaries 1*2*5
Polygynax	Polymyxine B = Antifungal Nystatin = Antifungal Neomycin = Gr- Antibiotic	Vulvovaginal Fugal & Bacterial infection	Pessaries 1*2*3
Gyno_ -pevaryl	Econazole =Antifungal	Vulvovaginal Fugal & Candida infection	Pessaries 150mg 1*1*3 at bedtime
Betadine	Povidone iodine = disinfectant and antiseptic	against bacteria, cyst , fungi, viruses, protozoa, spores	pessaries containing 200 mg or as a 4-10% ge or solution 1*1-2*7-14
Albothyl	Policresulen	Vulvovaginal Fugal & Bacterial infection	Pessaries 1*1*6 at bedtime
Cyteal	Hexamidine, Chlorhexidine & Chlorctesol = Antibacterial & Antifungal	Antiseptic	Solution 1*1-2*5-7
Vagyl	Nacl , Nahco3 , Borax , Menthol = antimicrobial , antipruritic , lubricant	Antiseptic	Powder 1*1-2*5-7

Ophthalmology

Trade name	Generic name	Main use	Dose
Normaline Apisal, Physiol	Normal saline	Sterile Eye & Nose drop	1-2 * 2-6
Phenicol	Chloramphenicol = Antibiotic	Eye infection	<p>The drop has <u>short duration & fast absorption</u> so it is used at day times several times, while the oint has <u>long duration & causes blurring vision</u> so it is used at night.</p> <p>Drop = 1-2* 3-5* 5-10 Oint = before sleep</p>
Phenidex Cortiphenel	Chloramphenicol = Antibiotic Hydrocortisone = cortisol	Eye infection & Inflammation	
Apigen, Unigenta	Gentamicin = Antibiotic	Eye infection	
DexaGenta	Gentamicin = Antibiotic Dexamethasone = cortisol	Eye infection & Inflammation	
Cloxan, Ciprocin	Ciprofloxacin = Antibiotic	Eye infection	
Oflored	Ofloxacin = antibiotic	Eye infection	
Tobrex	Tobramycin = Antibiotic	Eye infection	
Tobradex	Tobramycin = Antibiotic Dexamethasone = cortisol	Eye infection & Inflammation	
Frakidex	Framycetate = Antibiotic Dexamethasone = cortisol	Eye infection & Inflammation	
Dexaflox	Ofloxacin = Antibiotic Dexamethasone = cortisol	Eye infection & Inflammation	
Vigamox	Moxifloxacin = Antibiotic	Eye infection	Drop = 1-2* 3-5* 5-10
Tymer	Gatifloxacin = Antibiotic	Eye infection	Drop = 1-2* 3-5* 5-10
Fucithalmic	Fusidic acid = Antibiotic	Eye infection	Oint
Isopto Cetapred	Sulfacetamide = Antibiotic Prednisolone = cortisol	Eye infection & Inflammation	Drop = 1-2* 3-5* 5-10
Isopto maxitrol Maxitrol, PND Maxidrol	Neomycin = Antibiotic Polymyxin B = Antifungal Dexamethasone = cortisol	Eye infection & Inflammation	Drop = 1-2* 3-5* 5-10 Oint = before sleep
Sterdex	Oxytetracycline = Antibiotic Dexamethasone = cortisol	Eye infection & Inflammation	Oint = 1* 1-3* 5-7 Dexamethasone =

Isopto-Maxidex Maxidex Dexamax	Dexamethasone = cortisol	Eye inflammation Irritation Congestion Redness	Drop = 1-2*3-5*5-10 Oint = before sleep
FML , Flucon	Fluorometholone		Drop = 1-2*3-5*5-10
Naphcon, Imidazyl Prisoline	Naphazoline = VC Naphazoline = VC Chlorpenramine=Antihistamine		Drop = 1-2*3-5*5-10
Collyre bleu	Naphazoline = VC Tetramethylthionine = Dye	Eye inflammation Irritation Congestion Redness	Drop = 1-2*3-5*5-10
Visine	Tetrahydroxyline = VC		Drop = 1-2*3-5*5-10
Patanol	Olopatadine = Antihistamine		Drop = 1-2*3-5*5-10
Apicrom Cusicrom Unicrom allergo-comod	Sodium Cromoglycate = Mast cell stabilizer	Vernal conjunctivitis & Eye inflammation	2% - 4% Drop=1-2*3-5*5-10

zovirax	Acyclovir = Antiviral	HSV , HZV	Oint 1-2*5-6*5-7
---------	-----------------------	-----------	------------------

isopto tears	Hydroxypropyl Methylcellulose = lubricant	Dry eye Contact lenses using Irritation Inflammation	Drop 1-2*3-4
Natural tears	Artificial tear = Dextran + Polymeric + Hydroxypropyl Methylcellulose = lubricant		
Oplifresh	Polyvinyl alcohol = surfactant		
Hylo-comod	Sodium hyaluronate = lubricant		
Lacrymed	Povidone = Lubricant		
Oxyal	Hyaluronic acid = Lubricant		
Larmes gel Lipo-sic Lacryvics	Carbomer = Lubricant		Gel 1-2*3-4
Cornere gel	Dexpanthenol = Lubricant	Corneal disorders Keratitis , Dry eye	Gel 1-2*3-4

ENT

Ear

Trade name	Generic name	Main use	Dose
Waxol , Dewax	Docusate = wax dissolve	Remove ear wax	Drop 2-3 *2-3 * 5-7
Acerumen	Surfactant = wax dissolve	Remove ear wax	Spray 2-3 *2-3 * 5-7
Glycirine bicarbonate	Sodium bicarbonate + Glycerin= softening wax	Remove ear wax	Drop 2-3 *2-3 * 5-7
Genta	Gentamicin = antibiotic	Ear infection	Drop 2-3 *2-3 * 5-7
Cipro	Ciprofloxacin = antibiotic	Ear infection	Drop 2-3 *2-3 * 5-7
Ciprodex	Ciprofloxacin = antibiotic Dexamethasone = cortisol	Ear infection & Inflammation	Drop 2-3 *2-3 * 5-7
Oflomed	Ofloxacin = antibiotic	Ear infection	Drop 2-3 *2-3 * 5-7
Viotic	Clioquinol = antibiotic Flumethasone = cortisol	Ear infection & Inflammation	Drop 2-3 *2-3 * 5-7
Otoclam	Phenazone = analgesic Chlorbutol = antiseptic	Ear infection & Inflammation	Drop 2-3 *2-3 * 5-7
Otocol	Chloramphenicol = antibacterial & antifungal Lidocaine = anesthetic	Ear infection & Inflammation	Drop 2-3 *2-3 * 5-7
Otozol	Clotrimazole = antifungal	Ear infection	Drop 2-3 *2-3 * 5-7
Otosporin Polydexa	Neomycin = Antibiotic Polymyxin B = Antifungal Hydrocortisol = cortisol	Ear infection & Inflammation	Drop 2-3 *2-3 * 5-7
Otipax	Phenazone= Anti-inflammatory Lidocaine = Analgesic	Ear Inflammation	Drop 2-3 *2-3 * 5-7

Nose

Trade name	Generic name	Main use	Dose
Apisal, Physiol	Normal saline	Sterile eye&nose drop	1-2*2-6
Otrivin, Hysan	Xylometazoline = decongestion	Common cold Hay fever sinusitis	Drop - Spray 2*3-4*5 0.05%=infant&child upto 6y 0.1%= child over 6y & adult
Vibrocil	Dimetindene = antihistamine Phenylephrine= decongestion	Rhinitis Rhinorrhea	Drop - Spray - Gel 1-6y = 1-2 * 3-4 * 5-7 >6y= 3-4*3-4*5-7
Nasonex	Mometasone = cortisol	Common cold Hay fever	Spray 0.05 mg 2-3*2-3
Flixonase	Fluticasone = cortisol	sinusitis	Spray 0.05 mg 2-3*2-3
Avamys	Fluticasone = cortisol	Rhinitis	Spray 0.027mg 2-3*2-3
Omnaaris	Ciclesonide = cortisol	Rhinorrhea	Spray 0.05 mg 2-3 * 2-3
Physiomer, Marimer, MEDIMAR, Isomer, Ocean	Sea Water	Nasal wash	Spray 2-3 * 3-6

Urinary Tract

Trade name	Generic name	Main use	Dose
Colchicine	Colchicine	Gouty arthritis , zylopurinol	Tab 2-3
Thiotacid	Thiotic acid	Diabetic nephropathy Male infertility	Tab 300-600
Thiotacid- -Compound	Thiotic acid Benfotiamine Cyanocobalamine	Diabetic nephropathy Male infertility	Tab 300-600
Ditropan , Uripin	Oxybutynine	Urine incontinence , Urgency Neuropathic bladder disorder	Tab 5mg 2*
Epimag	Mg citrate = inhibit formation of Ca oxalate	Oxalouria	Sachet 3-4
Uricol	Hexamine , Piperazine , Khellin= Urinary antiseptic antispasmodic , antithic	UTI , Bacteriuria	Sachet 3-4
Uricol plus	Colchicines + Hexamine , Piperazine , Khellin	Gouty arthritis UTI , Bacteriuria	Sachet 3-4
Colchicine	Colchicine	Acute & Chronic gout Familial Mediterranean fever Behcet disease	Tab 1mg Acute attack 1 st day : 3mg 2 nd , 3 rd day: 2mg 4 th day : 1mg Chronic 1mg dai
Urisept Uropyrin	Phenazopyridine = anesthetic on UT mucosa	Relieve pain , Burning sense , Urgency ,	Tab 50 mg 1-2*2-3
Zyloric	Allopurinol = decrease uric acid in blood	Gout	Tab 100 , 300
Urinex	Pinene = break stone & increase RBF = Increase excretion of stone	Painful spasm ass with urolithiasis	1*3-4
Rowachol	Methol Increase liver funtion = increase bile secretion Decrease bile tract spasm= decrease bile station	<ul style="list-style-type: none"> • Cholelithiasis • Biliary colic 	1*3

[illegible]

Endocrine

Trade name	Generic name	Main use	Dose
Glyboral Glynase, Daonil	Glibenclamide = 2 nd generation sulfonylurea	Type 2 DM overweight	Tab 5 mg Before breakfast
Glucophage , Metformal	Metformin = biguanides	Type 2 DM	Tab 500-850-1000 mg With or immediately after m
Diamicron	Glipizide = 2 nd generation sulfonylurea		Tab 30-60-80 mg Before breakfast
Amaryl	Glimeprode = 3 rd generation sulfonylurea		Tab 1-2-3-4-6 mg Before breakfast
Glybomet	Glibenclamide + Metformin		Tab 2.5\400
Glucovance	Glibenclamide + Metformin		Tab 2.5\500 5\500
Janumet	Sitagliptin = DPP-4 inhibitor (dipeptidyl peptidase-4 inh) Metformin = biguanides		Tab 50\500 50\850 50\1000 With or immediately after m
Januvia	Sitagliptin = DPP-4 inhibitor (dipeptidyl peptidase-4 inh)		Tab 100mg Once at morning or Twice a morning & evening With or without food
Galvus	Vildagliptin = DPP-4 inhibitor (dipeptidyl peptidase-4 inh)		Tab 50mg Once at morning or Twice at morning evening With or without food
Galvus-Met	Vildagliptin = DPP-4 inhibitor (dipeptidyl peptidase-4 inh) Metformin = biguanides		Tab 50\500 50\850 50\1000 With or immediately after me
Doxium	Ca dobesilate = reduce capillary permeability	Microangiopathy Diabetic retinopathy Venous insufficiency	Cap 500 mg
Thiotacid	Alph lipolic acid (Thiotic acid)	Diabetic polyneuropathy , neuritis , polyneuritis , encephalopathy	Tab 300 – 600 mg 600 to 1800 \ day as divided doses

Thyrox	Levothyroxine = thyroxine	Hypothyroidism	Tab 25-50-100-150 mg
--------	---------------------------	----------------	----------------------

Neomercazole	Carbimazole = Anti-thyroid	Hyperthyroidism	Tab 5-20 mg
--------------	----------------------------	-----------------	-------------

Methotrexate	Anti-tumor	Tumor	Tab 2.5 mg
--------------	------------	-------	------------

Imuran	Azathioprine = disease-modifying antirheumatic drugs (DMARDs) or immunosuppressant	Dermatomyositis Systemic lupus Erythematosis Vasculitis	Tab 50 mg 1*1-2 can be increased every 3 months, up to a maximum dose 100mg twice a day.
--------	--	--	---

Plaguenil	Hydroxychloroquine = Antimalaria & (DMARDs)	malaria infection + Dermatomyositis Systemic lupus Erythematosis Vasculitis	Tab 200 mg Malaria : One tab 2 week before entering the area with malaria. continue taking it for 4 to 8 weeks after leaving the area Arthritis : 1*2-3
-----------	---	--	---

Alphintern	Chymotrypsin + Trypsin = proteolytic enzymes (anti-inflammatory and anti-edematous)	Inflammatory & edematous conditions	Tab 1-2*3 On empty stomach
------------	---	-------------------------------------	-------------------------------

Hypertension

Trade name	Generic name	Main use	Dose
Concor	Bisoprolol = B blocker		2.5, 5, 10, 20
Concor-plus	Bisoprolol = B blocker Hydrochlorothiazide = Diuretic		5\12.5 10\1
Inderal	Propranolol = B blocker		10 - 40 mg
Tenormin, Totamol	Atenolol = B blocker		25-50-100 m
Dilatrend	Carvedilol = B blocker		6.25-12.5-25
Nebilet	Nebivolol = B blocker		5 mg
Sectral	Acebutolol = B blocker		200 - 400 mg
Sotalol	Sotalol = B blocker		40 - 160 mg
Amlor	Amlodipine = Ca channel blocker		5 - 10 mg
Epilat, Adalat	Nifedipine = Ca channel blocker		5-10-20-30-60
Delay-tiazem	Diltiazem = Ca channel blocker		90-200-300 mg
Zestril	Lisinopril = ACE inhibitor		2.5-5-10-20 mg
Renil	Enalapril = ACE inhibitor	الكابتوبريل	5-10-20 mg
Captopril	Captopril = ACE inhibitor		25 - 50 mg
Tritace	Ramipril = ACE inhibitor		2.5 - 5 - 10 mg
Tritace plus	Ramipril = ACE inhibitor		2.5\12.5 2.5\25 5\2.5 5\25 10\12.5 10\25
Lisoretic	Lisinopril = ACE inhibitor		20\12.5 mg
Zestoretic	Hydrochlorothiazide = Diuretic		
Angiozide	Enalapril = ACE inhibitor Hydrochlorothiazide = Diuretic		20\12.5 mg
Coversyl	Perindopril = ACE inhibitor		4 - 5 mg
Coversyl plus	Perindopril = ACE inhibitor Indapamid = Diuretic		10\2.5 mg
Coveram	Perindopril = ACE inhibitor Amlodipine = Ca channel blocker		5\5 5\10 10\5 10\10

Micardis	Telmisartan = ARABs		40 – 80mg
Micardis plus	Telmisartan = ARABs		40\12.5 40 80\12.5 80
Diovan , Taregl	Valsartan = ARABs		80 – 160 mg
Co-Diovan , Co-Tareg	Valsartan = ARABs Hydrochlorothiazide= Diuretic		80\12,5 80 160\12.5 16
Atacand , Plopress	Candesartan = ARABs		8 – 16 mg
Atacand plus Plopress plus	Candesartan = ARABs Hydrochlorothiazide= Diuretic		8\12,5 8\2 16\12,5 16\2
Aprovel	Irbesartan = ARABs		150 – 300
Co-Aprovel	Irbesartan = ARABs Hydrochlorothiazide= Diuretic		150\12.5 150 300\12.5 300
Cozaar	Losartan = ARABs		
Exforge	Valsartan = ARABs Amlodipine = Ca channel blocker		5\80 5\160 10\80 10\160

Lasix	Furosemide = loop diuretic	HTN , Edema	40 mg
Aldactone	Spironolactone = K sparing diuretic		25 – 100 mg
Esidrex	Hydrochlorothiazide = thiazide diuretic		25 mg
Natrilix	Indapamide = thiazide diuretic		1.5 mg

Cordarone	Amiodarone = Anti-arrhythmia	Tachycardia Fibrillation	200 – 400 mg
Moduretic Amuretic	Hydrochlorothiazide = diuretic Amiloride = Anti-arrhythmia		5\50 mg

Digoxin	Digoxin = cardiac glycoside	AF , CHF	0.125 - 0,250
---------	-----------------------------	----------	---------------

Aldomet	Alph methyl dopa = act centrally which stimulate alpa 2. receptors lead to VD which decrease HTN	HTN inpregnancy	250-500 mg
---------	--	-----------------	------------

ISMN Imdur somel isosordide	Isosorbide Mononitrate=VD	Prophylactic Angina	Tab 10-20 mg 1-2 ER Tab 30-60mg 1*1 at morning
Nitrostate , Angiosed Corvasal	Isosorbide Dinitrate = VD		Tab 0.3-0.4-0.6 mg
	Glyceryl Trinitrate = VD		Tab 500-600mg
	Molsidomie = VD		Tab 2 - 4 mg
Vastarel	Trimetazidine =Anti- ischemic (anti-anginal agent)	Angina pectoris Neurosensorialtissuesi schemia	Tab 35 mg
Aspirin Aspedic Warfarin	Aspirin (L-acetylsalicylic acid) = antiplatelet Warfarin = anticoagulant	AF , Stroke , Valve replacement , Rheumatic valve dis	< 160 mg = 1*1 1 - 3 - 5 mg
Plavix	Clopidogrel = antiplatelet	DVT , Stroke , MI , Embolism	75 mg
Presantine	Dipyridamol = antiplatelet		75 mg
Sintrom	Acenocoumarol =Anticoagulant	Thromboembolic disease	Tab 1-2-4 mg
Vessel	Sulodexide = Antithrombotic	Thrombotic disease	250 iu
Kapron, Tranex Exacyl	Tranexamic acid = antihemorrhagic	Hemophilia Hemorrhage Menorrhagia	500mg 0.5-3 g/day as a divided doses
Daflone	Flavonoid (venotonic) = increase venous tone	Venous disorder (swallow leg , pain) & hemorrhoid	Tab 500 mg
Trental	Pentoxifyllin = decrease blood viscosity & increase blood flow	Intermittent claudication	Tab 400 mg
Effortil	Etilefrine = increase venous resistant	Hypotension	Drop 7.5mg\g Adult : 3-6 drops * Child : 3-6drops *2 Baby : 1-3 drops * Tab 5 mg Adult : 0.5-1 * 3 Child : 0.5-1 * 2-

<u>ORS</u> <u>Leolyte</u>	Na, K, Cl, Glucose	Diarrhea To treat & Prevent dehydration	One sachet are dissolved in 200ml boiled & cooled water after each diarrhea
BioGaia protectic Drop	<u>Lactobacillus reuteri</u> <u>Protectis</u>	live microorganism when administer in adequate amounts, confer a health benefit on the host.	5 drops daily. One dose consists of a minimum of 100 million live <u>Lactobacillus reuteri</u> Protec Stir 1 sachet into 250 ml w
BioGaia ProTectis ORS	<u>ORS</u> with <u>Lactobacillus</u> <u>reuteri</u> <u>Protectis</u>		
<u>Zinc</u> <u>sulfate</u>	Zinc sulfate : Improve absorption of water & electrolytes Facilitate wound healing Important for immunity	<u>Diarrhea</u>	<2m = Syr 2mg/ml 2.5ml 1*3 2m-1y = Syr 2mg/ml 5ml 1*3 1y-6y = Syr 2mg/ml 7.5ml 1* 6-12y = Syr 2mg/ml 10ml 1*
<u>Flagyl</u>	<u>Metronidazole</u>	Diarrhea , Amebosis	2m-2y = 125mg 2.5ml 1* 2-6y = 125mg 5ml 1* 6-12y = 125mg 7.5ml 1* >12y = Tab 250-500mg 1*
<u>Antinal</u> <u>Diax</u>	<u>Nifuraxazide</u>	GIT antiseptic for diarrhea مطهر للمعدة	<2m = 220mg 2.5ml 1* 2m-1y = 220mg 5ml 1* 1y-6y = 220mg 5ml 1* 6-12y = 220mg 10ml 1* >12y = Tab 200 mg 1*
<u>Kapect</u> <u>Repect</u>	Kaolin , Pectin (Antidiarrheal)	Diarrhea	<2m = Syr 2.5ml 1*3 2m-1y = Syr 5ml 1*3 1y-6y = Syr 7.5ml 1*4 6-12y = Syr 10ml 1*4
<u>Dulcolax</u> <u>Bylax</u>	<u>Biscodyl</u> (5mg) (laxative) مسهل	Constipation	Tab 5mg 1-2 tab together the 1 tab every 6h until stop constipation
<u>Sennokol</u>	<u>Senna</u> = Natural laxative مسهل طبيعي	Constipation	Tab 5 - 7.5 - 15 mg 2-6y = 1* 2-4 6-12y = 1* 1-2 >12y = 1* 2-4
<u>Duphalac</u> <u>Laxofin</u>	<u>Lactulose</u> Syr مسهل	Constipation	2m-1y = Syr 5ml 1x3 1-3y = Syr 7.5ml 1x3 3-6y = Syr 10ml 1x3 6-12y = Syr 15ml 1x3 >12y = Syr 15-45ml 1x3

Laxolyne	Glycerin (laxative)	Constipation	Supp 1*1-3 Enema, single dose, <u>once</u> or divided into 2 doses
Bebe gel	Glycerin (laxative)	Constipation 5-30 min	Sachets 1*2-4 Enema: single dose <u>once</u> or divided into 2 doses
Normacol	Sterculia (laxative)	Constipation	Sachets 1*2-4 Enema: single dose <u>once</u> or divided into 2 doses
ILAX	Macrogol (laxative)	Constipation	Sachets 1*2-4
Smecta	diosmectite (laxative)	Constipation	Sachets 1*2-4
Hyobogel	Natural fiber (laxative)	Constipation	Sachets 1*2-4
Mg sulphate	Mg sulphate (laxative)	Constipation	10-20 drops
Picolax Drops	Sodium picosulfate (laxative)	Constipation in old age & pregnant	10-20 drops
Zymogen Digestin Spasmo-canulase	Digestive enzymes	Dyspepsia, Increase appetite	1-2*3 (immediately BE)
Spasmo-digestin	Digestive enzymes + Semithicon	Dyspepsia, Flatulent Increase appetite	1-2*3 (immediately BE)
Pernabol Cyptedin	Cyproheptadine	Increase appetite	2-6y = Syr 2mg/5ml 5ml 6-12y = Syr 2mg/5ml 7.5ml >12y = Tab 4mg
Mosegor	Pizotifen	Increase appetite	2-6y = Syr 0.5mg/10ml 5ml 6-12 = Syr 0.5mg/10ml 10ml >12y = Tab 0.5mg
Buscopan Scopinal	Hyosine bromide	GIT, UB, Uterus & GB relaxant	2m-1y = Syr 2.5ml 1-3y = Syr 5ml 3-6y = Syr 10ml 6-12y = Syr 15ml >12y = Tab 10mg Amp 20mg
Spasfon	Phloroglucinol Trimethylphloroglucinol	GIT, UB, Uterus & GB relaxant	Tab 80\80 gm 1-2*3 (BE)
Riabal	Prifinium bromide	GIT, UB & GB relaxant	Tab 30mg 1-2*3
Riabal-compound	Prifinium bromide 30 + paracetamol 325	GIT, UB & GB relaxant	Tab 30mg 1-2*3

Debridant	Trimebutine	GIT UB & GB (relaxant)	Tab 100-200mg	1-2*3 (E)
Librax	Chlordiazepoxide	GIT relaxant	Tab 5/2.5mg	1-2*3 (I)
Poxidium	Glindinium bromide	GIT relaxant	Tab 25/100mg	1-2*3 (I)
Colona	Sulpiride (central) + Mebeverine(periphral)	GIT relaxant	Tab 135mg	1*3 (I)
Duspatalin	Mebeverine	GIT relaxant	Tab 200mg	1*2 (I)
Spasmomen	Oxytalonium = Antispastic	Irritable bowel & spastic bowel	Tab 40mg	1*2-3 (I)

Pentasa	Mesalazine (anti-inflammatory)	IBD (ulcerative colitis Crohn's disease)	Tab 500mg	1-4 * 3-4
Salazopyrin	Salazopyrin (anti-inflammatory)	IBD (ulcerative colitis Crohn's disease)	Tab 500mg	1-4 * 3-4

Co-tramyl	Tarecolumbocid	Skeletal muscle relaxant	4mg	2*2*5
Norflex	Orphenadrine	Skeletal muscle relaxant	100mg	2*2*5
Norgesic	Orphenadrine 35mg	Skeletal muscle relaxant		2*3*5
Muscadol	Paracetamol 450mg			
Myogesic				
Muscerol	Orphenadrine 35mg	Skeletal muscle relaxant		2*3*5
Muscerol - -extra	Paracetamol 450mg Caffeine			
Dimra	Methocarbamol 500mg Diclofenac pot 50mg	Skeletal muscle relaxant		2*3*5
Baclofen	Baclofen	Skeletal muscle relaxant	10mg	1*3*5
Myofen	Chlorzoxazone 250mg Ibuprofen 200mg	Skeletal muscle relaxant		1*3*5

Baby rest Drops	Simethicone 40 mg/0.6ml	Flatulent , Colic Dyspepsia	Infant=15drops AE&at bed >2m = 1-2ml AE & at bed
Infacol Drops	Simethicone 40 mg/1ml	Flatulent , Colic Dyspepsia	Infant=15drops AE&at bed >2m = 1-2ml AE & at bed

